



Short Communication

First records of three *Hericium* species (Basidiomycota) in Kosovo

Qëndrim Ramshaj^{1*}, Katerina Rusevska², Slavica Tofilovska², Mitko Karadelev²

¹ University of Prishtina, Faculty of Mathematics and Natural Sciences, Department of Biology, Eqrem Çabej, 51, 10000, Prishtina, Kosovo

² Ss. Cyril and Methodius University, Faculty of Natural Science and Mathematics, Institute of Biology, Arhimedova 5, MK-1000 Skopje, North Macedonia

Abstract – This study presents the first report of three *Hericium* species in Kosovo: *Hericium cirrhatum* (Pers.) Nikol., *H. coralloides* (Scop.) Pers. and *H. erinaceus* (Bull.) Pers. These species were found in *Fagus sylvatica* (beech) and *Quercus pubescens* (oak) forests in the central-eastern part of the country.

Keywords: fungal diversity, mycobiota, new records, Kosovo

Introduction

Hericium species known for their cream-colored fruiting bodies with tooth-like hymenophoral structures and monomitic hyphal system (Stalpers 1996), belong to the *Hericiaceae* family (Russulales, Basidiomycota) and are closely related to *Laxitextum* Lentz, which has stereoid basidiomes (Larsson 2007). The species usually grow on dead standing and fallen trunks but can also colonize living trees (Kirk et al. 2008, Bernicchia and Gorjón 2010). Some of them are used in traditional food and medicine, notably *Hericium erinaceus* (Bull.) Pers. in China (Jumbam et al. 2019).

While various organism groups in Kosovo have been extensively documented, such as vascular flora (Millaku et al. 2013), the national forest inventory (Tomter et al. 2013), Red Book of Fauna (Ibrahimi et al. 2018), endangered and endemic plants (Berisha et al. 2020) and both plants and spiders (Berisha and Geci 2023), the fungi biota was less studied until recent research (Ramshaj et al. 2021, 2022). This study constitutes the first report of the presence of three *Hericium* species in Kosovo: *Hericium cirrhatum* (Pers.) Nikol., *H. coralloides* (Scop.) Pers. and *H. erinaceus*.

Materials and methods

The study is based on field research in three districts in Kosovo (Suhareka, Lipjan and Prishtina) from 2017 to 2022 (Fig. 1).

The fruiting bodies of *Hericium* species were collected from different locations during several field expeditions over the years. The collected species was deposited in the




Fig. 1. Locations of newly recorded species in Kosovo.

* Corresponding author e-mail: qendrim.ramshaj@uni-pr.edu




Fig. 2. Species of *Hericium* recorded for the first time in Kosovo. A – *Hericium cirrhatum*, B – *H. coralloides*, C – *H. erinaceus* (photos *in situ*: A, B – Q. Ramshaj, C – B. Fetiu).

Herbarium of the Faculty of Mathematics and Natural Sciences of the University of Prishtina. Nomenclature of the taxa follows Fungorum database.

Results and discussion

Three species of *Hericium* were recorded for the first time in Kosovo. The descriptions of their locations are given below.

Hericium cirrhatum (Pers.) Nikol.

The species was found on 24th of September 2022 in the southeastern part of Kosovo (42°15'53.5" N, 20°53'41.5" E), in Sharri National Park, which is a part of Suhareka town area, at 1090 m a.s.l., in beech forest, on a growing tree of *Fagus sylvatica* L. (Figs. 1, 2A). The reference specimen RQPC 2022/613 was collected by Q. Ramshaj and identified by Q. Ramshaj, S. Tofilovska and M. Karadelev. *Hericium cirrhatum* is a rare species that mainly colonizes dead trees, especially cut logs, but is rarely found twice on the same substratum (Marren and Dickson 2000, Boddy and Wald 2003). It is listed as Under Assessment in the Fungal Global Red List (<https://redlist.info/iucn>). Additionally, it is included in the list of strictly protected species in Serbia (www.fungiserbia.com). It is a vulnerable species in Denmark, an endangered species in the Franche-Comté region of France (Stoltze and Pihl 1998, Sugny et al. 2013).

Hericium coralloides (Scop.) Pers.

On 1st of November 2019, the species was recorded in Gërmia Park nature reserve (42°15'53.5" N, 20°53'41.5" E), located northeast of Prishtina, at an altitude of 850 m a.s.l. It was found on a living *Fagus sylvatica* L. tree in a beech forest (Figs. 1, 2B). The reference specimen, RQPC 2019/308, was collected by Q. Ramshaj and B. Fetiu, with identification confirmed by Q. Ramshaj and M. Karadelev. *Hericium coralloides* usually grows on European ash (*Fraxinus excelsior* L.) and various species of *Quercus*, *Acer* and *Betula* (Crockatt 2008). The species has a different conservation

status in Europe. It is considered a near threatened species in North Macedonia, Armenia, Denmark, Bulgaria and Estonia (Nanagulyan 1997, Stoltze and Pihl 1998, Gyosheva et al. 2006, Karadelev and Rusevska 2013, Saar et al. 2019). In Croatia, it is categorized as an endangered species, while in Serbia it is strictly protected (Tkalčec et al. 2008, Ivančević et al. 2012).

Hericium erinaceus (Bull.) Pers.

The species was found on 21st of September 2022 within the boundaries of the Blinaja Protected Landscape Area located 15 kilometers west of the town of Lipjan, in the east-central part of Kosovo (42°40'21.1" N, 21°12'42.9" E) (Figs. 1, 2C). It was recorded at an elevation of 740 m a.s.l., on a living tree of pubescent oak (*Quercus pubescens* Willd.). The specimen, as RQPC 2022/607, was collected by B. Fetiu and identified by Q. Ramshaj and M. Karadelev. *Hericium erinaceus* is rarely found in Eastern Europe and mainly grows on the trunks of dead trees in temperate beech and oak forests. Due to the gradual disappearance of its habitats, this species is included on the red lists of 15 European countries (Bohlin and Gràcia 2004, Govaerts et al. 2011). It is considered an endangered species in Albania, Bulgaria and Croatia (Gyosheva et al. 2006, Tkalčec et al. 2008, Karadelev 2014) while in Armenia, the Czech Republic, Romania, North Macedonia and Alsace (France) it is classified as rare or vulnerable (Nanagulyan 1997, Tănase and Pop 2005, Holec and Beran 2006, Muller et al. 2014, Karadelev et al. 2021). In Serbia the species is categorized as strictly protected (Ivančević et al. 2012) while in Slovakia it is listed as a species of lower risk (Lizoň 2001).

Acknowledgements

We are especially grateful to Naim Berisha for his assistance in the field and for identifying the plants associated with the mushrooms. We also thank Valbon Bytyqi for preparing the map and providing excellent information on their locations.

References

- Berisha, N., Geci, D., 2023: The analysis of the influence of grazing intensity on the diversity and abundance of plants and spiders (Arachnida: *Araneae*). *European Journal of Environmental Sciences* 13(1), 31–38. <https://doi.org/10.14712/23361964.2023.4>
- Berisha, N., Krasniqi, E., Millaku, F., 2020: A quantitative approach for conservation of endangered and endemic plants from Kosovo, SE Europe. *Folia Oecologica* 47(1), 52–63. <https://doi.org/10.2478/foecol-2020-0007>
- Bernicchia, A., Gorjón, S. P., 2010: *Corticaceae* s. l. - Fungi Europaei 12. Edizioni Candusso, Alassio.
- Boddy L., Wald P., 2003: *Creolophus* (= *Hericium*) *cirrhatum*, *Hericium erinaceus* and *H. coralloides* in England. English Nature Research Report 492. English Nature, Peterborough.
- Boddy L., Wald P., 2003: *Creolophus* (= *Hericium*) *cirrhatum*, *Hericium erinaceus* and *H. coralloides* in England. English Nature Research Report 492. English Nature, Peterborough.
- Bohlin, A., Gràcia, E., 2004: 33 threatened fungi in Europe. *Mycological Research* 108(1), 1–4.
- Crockatt, M., 2008: Ecology of the rare oak polypore *Piptoporus auercinus* and the tooth fungi *Hericium cirrhatum*, *H. coralloides*, and *H. erinaceus* in the UK. PhD Thesis. Cardiff University, UK.
- Govaerts, R., Dransfield, J., Zona, S. F., Hodel, D. R., Henderson, A., 2011: World checklist of *Arecaceae*. Facilitated by the Royal Botanic Gardens, Kew. Retrieved on April 21, 2024, from <http://apps.kew.org/wcsp/>
- Gyosheva, M., Denchev, C., Dimitrova, E., Assyov, B., Petrova, R., Stoichev, G., 2006: Red List of fungi in Bulgaria. *Mycologia Balcanica* 3, 75–81.
- Holec, J., Beran, M. (eds.), 2006: Red list of fungi (macromycetes) of the Czech Republic. *Příroda* 24, 1–282.
- Ibrahimi, H., Gashi, A., Rexhepaj, D., Zhushi-Etemi, F., Grapci-Kotori, L., Fehér, Z., Bino, T., Šerić-Jelaska, L., Mesaroš, G., Théou, Ph., 2018: Libri i Kuq i Faunës së Republikës së Kosovës [The Red Data Book of the Fauna of the Republic of Kosovo]. Ministry of Environment and Spatial Planning and Kosovo Institute for Nature Protection, Prishtinë.
- Ivančević, B., Matavulj, M. N., Vukojević, J., Karaman, M., 2012b: Fungi in the legislation of the Republic of Serbia. *Matica Srpska Proceedings for Natural Sciences* 123, 51–64.
- Jumbam, B., Haelewaters, D., Koch, R. A., Dentinger, B. T. M., Henkel, T. W., Aime, M. C., 2019: A new and unusual species of *Hericium* (Basidiomycota: Russulales, *Hericiaceae*) from the Dja Biosphere Reserve, Cameroon. *Mycological Progress* 18(10), 1253–1262.
- Karadelev, M., 2014: Fungi Albanici: Establishing fungi checklist and preliminary red list, and proposing important fungal areas in Albania. The Rufford Small Grants Foundation. Final Report Form, 1–9.
- Karadelev, M., Rusevska, K., 2013: Contribution to Macedonian Red List of fungi. In: xxxxxx (ed.), Proceedings of the 4th Congress of Ecologists of Macedonia with International Participation, 68–73. Macedonian Ecological Society, Institute of Biology, Faculty of Natural Sciences, Skopje.
- Karadelev, M., Tofilovska, S., Rusevska, K., 2021: National red list of fungi (2021): Focusing on critically endangered species. Contributions, Section of Natural, Mathematical and Biotechnical Sciences, Macedonian Academy of Sciences and Arts, 42 (1–2), 37–43.
- Kirk P. M., Cannon P. F., Stalpers J., Minter D. W., 2008: Dictionary of the Fungi, 10th edition. CABI Publishing, Wallingford, UK.
- Larsson, K. H., 2007: Re-thinking the classification of corticoid fungi. *Mycological Research*, 111(9), 1040–1063.
- Lizoň, P., 2001: Red List of Slovak Fungi. Department of Plant Systematics, Institute of Botany, Bratislava.
- Marren, P., Dickson, G., 2000: British tooth-fungi and their conservation. *British Wildlife* 11, 401–409.
- Millaku, F., Rexhepi, F., Krasniqi, E., Pajazitaj, Q., Mala, X., Berisha, N., 2013: The Red Book of vascular flora of the Republic of Kosovo. Ministry of Environment and Spatial Planning, Prishtina.
- Muller, J.-L., Laurent, P., Schott, D., 2014: La Liste rouge des Champignons supérieurs menacés en Alsace. SMHR, SEMHV, SMS, ODONAT, 108 p. Document numérique.
- Nanagulyan, S. G., 1997: Macromycetes of Armenia (specific, spatial and functional structure). PhD Thesis. Yerevan State University, Yerevan.
- Ramshaj, Q., Rusevska, K., Tofilovska, S., Karadelev, M., 2021: Checklist of macrofungi from oak forests in the Republic of Kosovo. *Czech Mycology* 73(1), 21–42. <https://doi.org/10.33585/cmy.73102>
- Ramshaj, Q., Rusevska, K., Tofilovska, S., Karadelev, M., 2022: Macromycetes diversity of Sharr Mountains in Kosovo. *Ecologia Balkanica* 14(2), 1–30.
- Saar, I., Oja, J., Pöldmaa, K., Pärtel, K., Zettur, I., Kõljalg, U., 2019: Red List of Estonian Fungi-2019 update. *Folia Cryptogamica Estonica* 56, 117–126. <https://doi.org/10.12697/fce.2019.56.12>
- Stalpers, J. A., 1996: The Aphyllophoraceous fungi II. Keys to the species of the Hericiales. *Studies in Mycology* 40, 1–185.
- Stoltze, M., Pihl, S. (eds.), 1998: Rødlister 1997 over planter og dyr i Danmark (Red List 1997 of plants and animals in Denmark). Miljø- og Energiministeriet, Danmarks Miljøundersøgelser og Skov- og Naturstyrelsen, København.
- Sugny, D., Beirnaert, P., Billot, A., Caillet, M., Chevrolet, J. P. M., Galliot, L., Herbert, R., Moyne, G., 2013: Liste rouge des champignons supérieurs de Franche-Comté. Publication commune Fédération Mycologique de l'Est, Conservatoire National Botanique de Franche-Comté et Société Botanique de Franche-Comté. Imprimerie Paradis, Lunéville.
- Tănase, C., Pop, A., 2005: Red List of Romanian Macrofungi Species. Bioplatform – Romanian National Platform for Biodiversity, Editura Academiei Române, București.
- Tkalčec, Z., Mešić, A., Matočec, N., Kušan, I., 2008: Red book of Croatian Fungi. Ministry of Culture, State Institute for Nature Protection, Zagreb.
- Tomter, S. M., Bergsaker, E., Muja, I., Dale, T., Kolstad, J., 2013: Inventarizimi Nacional i Pyjeve Kosovë (National forest inventory of Kosovo). Ministria e Bujqësisë, Pylltarisë dhe Zhvillimit Rural të Kosovës, Norwegian Forestry Group, Prishtina.